

County of San Diego Health Update

Reference Materials

County of San Diego Health and Human Services Agency Public Health Services

April 20, 2009

Table of Contents

I. 3-4-50	3
Three behaviors lead to four diseases responsible for 50% of deaths wo	
II. Leading Causes of Death by HHSA Region - 2007 Data Tables	
Leading causes of death, number and percent	4
Leading causes of death, age-adjusted rates	
Leading causes of death, ranked by HHSA Region	6
III. San Diego County Data - Charts	8
Cancer Deaths	
Heart Disease Deaths	9
Heart Disease vs. Cancer Deaths	10
Stroke Deaths	11
Infant Mortality	12
Adult Obesity	
Diabetes Deaths	
Diabetes Deaths by Race/Ethnicity	15
Diabetes Hospitalizations	


Data Sources:

Death Data: California Department of Public Health, Center for Health Statistics, Death Statistical Master Files; SANDAG January 1 population estimates (2005-07 estimates released 2008). Prepared by County of San Diego, Health & Human Services Agency, Public Health Services, Community Epidemiology Branch, 03/11/2009.

Infant Mortality Data: State of California, Department of Health Services, Center for Health Statistics, Birth and Death Statistical Master Files. Prepared by County of San Diego, Health & Human Services Agency, Maternal, Child & Family Health Services (MCFHS).

Hospitalization Data: California Office of Statewide Health Planning & Development (OSHPD) Hospital Discharge Data 2001-2005; SANDAG January 1 population estimates 2001-2003 (rel 7/2004), 2004 (rel 11/2005), and 2005 (rel 09/2006). Prepared by Community Epidemiology 5/30/2007.

Obesity Data: California Health Interview Survey (CHIS), 2001-2007.



LEADING CAUSES OF DEATH AMONG SAN DIEGO COUNTY RESIDENTS BY HHSA REGION[†], 2007 Number and Percent of Deaths

_		REGION [↑]											
COUNTY-		N. Coastal		N. Ce	entral	Cen	tral	South		East		N. Inland	
WIDE RANK IN		number of		number of		number of		number of		number of		number of	
2007 ^a	CAUSE OF DEATH ^b	deaths	%	deaths	%	deaths	%	deaths	%	deaths	%	deaths	%
1	Malignant neoplasms	831	26.4	872	26.5	637	23.9	624	23.8	859	24.0	953	26.7
2	Diseases of heart	801	25.5	790	24.0	663	24.9	711	27.1	903	25.2	821	23.0
3	Cerebrovascular diseases	195	6.2	185	5.6	151	5.7	157	6.0	199	5.6	220	6.2
	COPD/Chronic lower respiratory												1
4	diseases	193	6.1	150	4.6	117	4.4	121	4.6	247	6.9	191	5.4
5	Alzheimer's disease	173	5.5	229	7.0	76	2.9	83	3.2	203	5.7	252	7.1
6	Accidents (unintentional injuries)	163	5.2	158	4.8	148	5.6	121	4.6	155	4.3		5.2
7	Diabetes mellitus	71	2.3	74	2.2	84	3.2	99	3.8	115	3.2	74	2.1
8	Intentional self-harm (suicide)	59	1.9	60	1.8	56	2.1	31	1.2	78	2.2	61	1.7
9	Chronic liver disease and cirrhosis	37	1.2	47	1.4	55	2.1	54	2.1	57	1.6	58	1.6
10	Influenza and pneumonia	33	1.1	52	1.6	39	1.5	49	1.9	60	1.7	57	1.6
11	Essential (primary) hypertension and hypertensive renal disease	50	1.6	38	1.2	36	1.4	34	1.3	41	1.1	32	0.9
12	Parkinson's disease	30	1.0	53	1.6	14	0.5	19	0.7	33	0.9	53	1.5
13	Nephritis, nephrotic syndrome and nephrosis	25	0.8	28	0.8511	31	1.2	36	1.4	31	0.9	37	1.0
14	Certain conditions orginating in the perinatal period	17	0.5	18	0.5	23	0.9	32	1.2	13	0.4	23	0.6
15	Assault (homicide)	11	0.4	9	0.3	38	1.4	22	0.8	20	0.6	9	0.3
	All Other Causes	453	14.4	527	16.0	496	18.6	427	16.3	566	15.8	542	15.2
	TOTAL DEATHS:	3,142	100.0	3,290	100.0	2,664	100.0	2,620	100.0	3,580	100.0	3,569	100.0

^a Rank is based on total number of deaths in each of the National Center for Health Statistics (NCHS) "rankable" categories. The top 15 leading causes of death presented here are based on the county-wide rank among San Diego residents in 2006.

Source: California Department of Public Health, Center for Health Statistics, Death Statistical Master Files; SANDAG January 1 population estimates (2005-07 estimates released 2008)
Prepared by County of San Diego, Health & Human Services Agency, Public Health Services, Community Epidemiology Branch, 03/11/2009

^b Cause of death is based on the underlying cause of death reported on death certificates as classified by ICD-10 codes.

[†]HHSA Regions were created by grouping contiguous zip codes.

LEADING CAUSES OF DEATH AMONG SAN DIEGO COUNTY RESIDENTS BY HHSA REGION, 2007 Age-adjusted Rates

COUNTY-				AGE-	ADJUSTED RA	ATES ^c		
WIDE				REG	ION [†]			
RANK in								SAN DIEGO
2007 ^a	CAUSE OF DEATH ^b	N. Coastal	N. Central	Central	South	East	N. Inland	COUNTY
1	Malignant neoplasms (all cancers)	157.5	142.5	172.3	156.5	184.0	162.5	162.6
2	Diseases of heart	140.5	122.1	177.1	177.7	186.5	124.0	151.9
3	Cerebrovascular diseases	34.1	28.5	40.8	39.5	40.6	33.8	36.1
4	Chronic lower respiratory diseases	34.8	23.7	32.5	30.8	53.4	31.3	34.1
5	Alzheimer's disease	28.6	34.2	20.6	20.7	40.1	36.7	31.3
6	Accidents (unintentional injuries)	29.3	24.9	31.7	27.4	32.2	31.4	31.4
7	Diabetes mellitus	13.2	12.1	22.5	25.2	24.7	12.2	17.5
8	Intentional self-harm (suicide)	11.0	9.6	11.8	7.0	16.3	10.6	11.5
9	Chronic liver disease and cirrhosis	6.9	7.7	12.8	13.3	11.8	10.1	10.4
10	Influenza and pneumonia	5.5	7.8	10.3	12.2	11.9	8.2	9.0
11	Essential (primary) hypertension and hypertensive renal disease	9.0	5.7	9.7	8.6	8.3	4.7	7.4
12	Parkinson's disease	5.4	8.4	4.1	4.8	6.8	7.7	6.5
13	Nephritis, nephrotic syndrome and nephrosis	4.3	4.5	8.7	9.0	6.6	6.1	6.3
14	Certain conditions orginating in the perinatal period	2.8	3.3	4.1	5.3			3.8
15	Assault (homicide) All Other Causes	2.2	1.5	7.2	4.7	4.3	1.7	3.8
	TOTAL DEATHS:		520.7	690.0	646.5	747.9	571.9	623.2

^a Rank is based on total number of deaths in each of the National Center for Health Statistics (NCHS) "rankable" categories. The top 15 leading causes of death presented here are based on the county-wide rank among San Diego residents in 2006.

Source: California Department of Public Health, Center for Health Statistics, Death Statistical Master Files; SANDAG January 1 population estimates (2005-07 estimates released 2008) Prepared by County of San Diego, Health & Human Services Agency, Public Health Services, Community Epidemiology Branch, 08/08/2008

^b Cause of death is based on the underlying cause of death reported on death certificates as classified by ICD-10 codes.

[†]HHSA Regions were created by grouping contiguous zip codes.

^{*} Rate not calculated for fewer than 20 deaths in this category.

[†]HHSA Regions were created by grouping contiguous zip codes.

LEADING CAUSES OF DEATH IN EACH HHSA REGION[†], SAN DIEGO COUNTY, 2007 Number and Percent of Deaths, Crude Rates and Age-adjusted Rates

Table 1. North Coastal Region

	•	Number			Age-
		of		Crude	adjusted
Rank ^a	Cause of Death ^b	Deaths	%	Rate ^c	Rate ^c
1	Malignant neoplasms (all cancers)	831	26.4	155.7	157.5
2	Diseases of heart	801	25.5	150.1	140.5
3	Cerebrovascular diseases	195	6.2	36.5	34.1
4	Chronic lower respiratory diseases	193	6.1	36.2	34.8
5	Alzheimer's disease	173	5.5	32.4	28.6
6	Accidents (unintentional injuries)	163	5.2	30.5	29.3
7	Diabetes mellitus	71	2.3	13.3	13.2
8	Intentional self-harm (suicide)	59	1.9	11.1	11.0
	Essential (primary) hypertension and				
9	hypertensive renal disease	50	1.6	9.4	9.0
10	Chronic liver disease and cirrhosis	37	1.2	6.9	6.9
	All other causes	569	18.1		
	TOTAL DEATHS	3,142	100.0	588.6	566.2

Table 2. North Central Region

		Number			Age-
		of		Crude	adjusted
Rank ^a	Cause of Death ^b	Deaths	%	Ratec	Rate ^c
1	Malignant neoplasms (all cancers)	872	26.5	148.1	142.5
2	Diseases of heart	790	24.0	134.1	122.1
3	Alzheimer's disease	229	7.0	38.9	34.2
4	Cerebrovascular diseases	185	5.6	31.4	28.5
5	Accidents (unintentional injuries)	158	4.8	26.8	24.9
6	Chronic lower respiratory diseases	150	4.6	25.5	23.7
7	Diabetes mellitus	74	2.2	12.6	12.1
8	Intentional self-harm (suicide)	60	1.8	10.2	9.6
9	Parkinson's disease	53	1.6	9.0	8.4
10	Influenza and pneumonia	52	1.6	8.8	7.8
	All other causes	667	20.3		
	TOTAL DEATHS	3,290	100.0	558.6	520.7

Table 3. Central Region

		Number			Age-
		of		Crude	adjusted
Rank ^a	Cause of Death ^b	Deaths	%	Ratec	Rate ^c
1	Diseases of heart	663	24.9	132.6	177.1
2	Malignant neoplasms (all cancers)	637	23.9	127.4	172.3
3	Cerebrovascular diseases	151	5.7	30.2	40.8
4	Accidents (unintentional injuries)	148	5.6	29.6	31.7
5	Chronic lower respiratory diseases	117	4.4	23.4	32.5
6	Diabetes mellitus	84	3.2	16.8	22.5
7	Alzheimer's disease	76	2.9	15.2	20.6
8	Intentional self-harm (suicide)	56	2.1	11.2	11.8
9	Chronic liver disease and cirrhosis	55	2.1	11.0	12.8
10	Human immunodeficiency virus (HIV) disease	43	1.6	8.6	9.5
	All other causes	634	23.8		
	TOTAL DEATHS	2,664	100.0	532.7	690.0

^a Rank is based on total number of deaths in each of the National Center for Health Statistics (NCHS) "rankable" categories.

Source: California Department of Public Health, Center for Health Statistics, Death Statistical Master Files; SANDAG January 1 population estimates (2005-07 estimates released. 2008)

Prepared by County of San Diego, Health & Human Services Agency, Public Health Services, Community Epidemiology Branch, 03/11/2009

SECTION PAGE 3 OF 4

b Cause of death is based on the underlying cause of death reported on death certificates as classified by ICD-10 codes.

^c All rates are per 100,000 population; age-adjusted rates are adjusted to 2000 U.S. Standard Population.

[†] HHSA Regions were created by grouping contiguous zip codes.

LEADING CAUSES OF DEATH IN EACH HHSA REGION[†], SAN DIEGO COUNTY, 2007 Number and Percent of Deaths, Crude Rates and Age-adjusted Rates

Table 4. South Region

		Number		0	Age-
		of		Crude	adjusted
Rank ^a	Cause of Death ^b	Deaths	%	Rate ^c	Rate ^c
1	Diseases of heart	711	27.1	155.7	177.7
2	Malignant neoplasms (all cancers)	624	23.8	136.6	156.5
3	Cerebrovascular diseases	157	6.0	34.4	39.5
4	Chronic lower respiratory diseases	121	4.6	26.5	30.8
5	Accidents (unintentional injuries)	121	4.6	26.5	27.4
6	Diabetes mellitus	99	3.8	21.7	25.2
7	Alzheimer's disease	83	3.2	18.2	20.7
8	Chronic liver disease and cirrhosis	54	2.1	11.8	13.3
9	Influenza and pneumonia	49	1.9	10.7	12.2
10	Nephritis, nephrotic syndrome and nephrosis	36	1.4	7.9	9.0
	All other causes	565	21.6		
	TOTAL DEATHS	2,620	100.0	573.6	646.5

Table 5. East Region

		Number		Crude	Age- adjusted
Rank ^a	Cause of Death ^b	of Deaths	%	Rate ^c	Rate
1	Diseases of heart	903	25.2	195.9	186.5
2	Malignant neoplasms (all cancers)	859	24.0	186.4	184.0
3	Chronic lower respiratory diseases	247	6.9	53.6	53.4
4	Alzheimer's disease	203	5.7	44.0	40.1
5	Cerebrovascular diseases	199	5.6	43.2	40.6
6	Accidents (unintentional injuries)	155	4.3	33.6	32.2
7	Diabetes mellitus	115	3.2	25.0	24.7
8	Intentional self-harm (suicide)	78	2.2	16.9	16.3
9	Influenza and pneumonia	60	1.7	13.0	11.9
10	Chronic liver disease and cirrhosis	57	1.6	12.4	11.8
	All other causes	704	19.7		
	TOTAL DEATHS	3,580	100.0	776.7	747.9

Table 6. North Inland Region

		Number			Age-
		of		Crude	adjusted
Rank ^a	Cause of Death ^b	Deaths	%	Rate ^c	Rate ^c
1	Malignant neoplasms (all cancers)	953	26.7	170.3	162.5
2	Diseases of heart	821	23.0	146.7	124.0
3	Alzheimer's disease	252	7.1	45.0	36.7
4	Cerebrovascular diseases	220	6.2	39.3	33.8
5	Chronic lower respiratory diseases	191	5.4	34.1	31.3
6	Accidents (unintentional injuries)	186	5.2	33.2	31.4
7	Diabetes mellitus	74	2.1	13.2	12.2
8	Intentional self-harm (suicide)	61	1.7	10.9	10.6
9	Chronic liver disease and cirrhosis	58	1.6	10.4	10.1
10	Influenza and pneumonia	57	1.6	10.2	8.2
	All other causes	696	19.5		
	TOTAL DEATHS	3,569	100.0	637.7	571.9

^a Rank is based on total number of deaths in each of the National Center for Health Statistics (NCHS) "rankable" categories.

Source: California Department of Public Health, Center for Health Statistics, Death Statistical Master Files; SANDAG January 1 population estimates (2005-07 estimates released 2008)

Prepared by County of San Diego, Health & Human Services Agency, Public Health Services, Community Epidemiology Branch, 03/11/2009


SECTION PAGE 4 OF 4

^b Cause of death is based on the underlying cause of death reported on death certificates as classified by ICD-10 codes.


^c All rates are per 100,000 population; age-adjusted rates are adjusted to 2000 U.S. Standard Population.

[†] HHSA Regions were created by grouping contiguous zip codes.

CANCER DEATHS




HEART DISEASE DEATHS




Heart Disease vs Cancer Deaths


Among San Diego County Residents, 2003-2007



STROKE DEATHS




INFANT MORTALITY




County of San Diego, Health and Human Services Agency, Public Health Services www.SDHealthStatistics.com

OBESE ADULTS




Source: California Health Interview Survey (CHIS)
County of San Diego, Health and Human Services Agency, Public Health Services
www.SDHealthStatistics.com


DIABETES DEATHS



DIABETES DEATHS BY RACE/ETHNICITY



DIABETES HOSPITALIZATIONS



County of San Diego, Health and Human Services Agency, Public Health Services www.SDHealthStatistics.com



County of San Diego Health and Human Services Agency

Board of Supervisors

Greg Cox, District One
Dianne Jacob, District Two
Pam Slater-Price, District Three
Ron Roberts, District Four
Bill Horn, District Five

Chief Administrative Officer
Walt F. Ekard

Health and Human Services Agency Director Nick Macchione, FACHE

Public Health Services Public Health Officer Wilma J. Wooten, MD, MPH